



RadiantPanel Baseboard

TABLE OF CONTENTS

| | |
|---------------------------------|----------|
| RadiantPanel Baseboard | 2 |
| Technical Data | 2 |
| Cover Plates | 2 |
| End Caps | 3 |
| Inside / Outside Corners | 3 |
| Nylon Clips | 3 |
| Fittings | 4 |
| Accessories | 4 |
| Components | 4 |



RadiantPanel Baseboard Kits



| Part # | Length | List Price |
|--------|--------|------------|
| 1015W | 1 ½' | 55.95 |
| 1020W | 2' | 61.60 |
| 1025W | 2 ½' | 69.55 |
| 1030W | 3' | 79.00 |
| 1035W | 3 ½' | 86.95 |
| 1040W | 4' | 95.75 |
| 1045W | 4 ½' | 104.85 |
| 1050W | 5' | 114.10 |
| 1055W | 5 ½' | 122.65 |
| 1060W | 6' | 132.30 |
| 1065W | 6 ½' | 140.85 |
| 1070W | 7' | 150.00 |
| 1075W | 7 ½' | 159.55 |
| 1080W | 8' | 168.90 |
| 1085W | 8 ½' | 177.80 |

Application

Hot water RadiantPanel Baseboard heating. Comes complete with: 3/8" I.D. compression fittings suitable for PEOC-PLUS Pipe or Pex Pipe, reflecting foil, and mounting brackets.
Color: RAL 9010 (Pure White)

Technical Data

| | |
|-----------------------------------|-----------------------|
| Material: | Copper Lined Aluminum |
| Wall Thickness: | 0.10" (2.54mm) |
| Fittings: | Brass |
| Recommended Max. Operating Temp: | 180° F (82° C) |
| Maximum Operating Pressure: | 50 psi |
| Weight per Foot: | 1.34 lb (0.61 kg) |
| Height: | 5.141" (130.6 mm) |
| Depth (Front to Back): | 0.925" (23.5 mm) |
| Distance Between S & R (Centers): | 3.06" (78mm) |
| Water Content per Foot: | 0.018 gal (0.068 L) |
| Internal Tube Diameter: | 0.425" (10.8 mm) |

Cover Plates



| Part # | Description | List Price |
|--------|-------------------------|------------|
| 2000W | 12" Snap On Cover Plate | 8.10 |
| 2003W | 60" Snap On Cover Plate | 42.70 |

RadiantPanel trim pieces used to conceal pipe and fittings.

End Caps



| <i>Part #</i> | <i>Description</i> | <i>List Price</i> |
|---------------|--------------------|-------------------|
| 2012W | Right End Cap | 3.15 |
| 2013W | Left End Cap | 3.15 |

Inside and Outside Corners



| <i>Part #</i> | <i>Description</i> | <i>List Price</i> |
|---------------|-----------------------------|-------------------|
| 2010A | Inside Corner w/ 2 x #2014 | 23.80 |
| 2010W | Inside Corner | 4.60 |
| 2011A | Outside Corner w/ 2 x #2014 | 24.80 |
| 2011W | Outside Corner | 5.60 |

Nylon Clip



| <i>Part #</i> | <i>Description</i> | <i>List Price</i> |
|---------------|--------------------|-------------------|
| DNC-12 | Double Nylon Clip | 0.93 |

Nylon clips are used to secure the supply and return pipe lines connecting the RadiantPanel Baseboard to the manifold.

Fittings


| Part # | Description | List Price |
|---------|--|------------|
| 3040 | 3/8" PEOC x 1/2" Male Adapter | 6.60 |
| 3041 | 3/8" PEOC x 3/4" Sweat Adapter | 7.30 |
| 3042 | 3/8" Panel Nipple for Baseboard | 3.25 |
| 3045 | 3/8" PEOC Coupling | 7.35 |
| 13 0300 | 3/8" x 300' PEOC-PLUS Pipe with Oxygen Barrier | 219.00 |

Please see our **Heating Systems Price List** for additional fittings



Accessories

| Part # | Description | List Price |
|--------|--|------------|
| 3034 | Metal Bed Support for 3/8" Pipe | 1.80 |
| 2020 | Panel Bracket (Spare) | 3.25 |
| 2021 | Wall Fastener for 12" and 60" Cover Plate w/ #2020 Panel Bracket | 6.55 |



Components

| Part # | Description | List Price |
|--------|------------------------------|------------|
| 2014 | 3/8" PEOC Tails 90° | 9.60 |
| 2015 | 3/8" PEOC U-Bend | 13.75 |
| 9072 | White Touch-up Paint (2 oz.) | 10.90 |

