



The Comfort you deserve...
...From the Experts you Trust!

RADIANT FLOOR & SNOWMELT 06-2021 WHO HATCH



Terms and Conditions of Sale

PRICES All previous prices are withdrawn effective March 1st, 2018.

Prices for the Products are quoted in US Dollar.

Prices are subject to change without notice.

FREIGHT

F.O.B. SPRINGFIELD. MA

Freight charges will be determined on an individual basis and may include charges for special packaging as necessary

RETURNED MERCHANDISE

No returned goods will be accepted for credit without prior authorization (RGA) from Hydronic Alternatives, Inc. Re-stocking, freight or handling charges may be assessed. The following conditions will also prevail:

- 1. Goods considered for return must be in the current line of the manufacturer products.
- 2. Only normally stocked radiators and items can be returned and will be subject to a minimum of a 25% re-stocking and handling charge.
- 3. Custom orders and custom sizes and colors will not be accepted for return.
- 4. Any radiators accepted for return must be un-installed and in original new condition, packaged in the original factory cartons.
- 5. Radiators accepted for return must be sent to Hydronic Alternatives freight pre-paid.

ATTENTION: Radiators may only be returned with prior written RGA authorization from Hydronic Alternatives. Please do not return radiators before receiving authorization

CLAIMS

Upon receipt of goods, any claims, discrepancies or shortages must be brought to our attention immediately, within five (5) days of receiving the order, as we will not be held responsible for damages to material or consequential labor charges after receipt of goods. All claims for damages will be subject to inspection. If your order arrives damaged, please sign the bill of lading as DAMAGED.

SPECIAL ORDERS

Orders for non-stock items must be in writing and include a Purchase Order number.

Special orders are accepted on a non-cancelable basis only.

Please be sure of the model, size, color and connection of any special order item before ordering.

WARRANTY

The manufacturer offers a 5 year guarantee against leakage and on the finish of it's radiators or convectors provided that they are installed in normal conditions and that they are connected to a hydronic heating system. In the case where the hydronic heating system uses other than metal piping or tubing, the tubing used must meet the DIN standard 4726 for oxygen diffusion. In the case of defects - to the level of raw materials or manufacturing that are recognized by the manufacturer, the former has the right to decide as to the repair or replacement and will be not committed to the expense of labor, transportation, or displacement. The alleged defective article must be returned freight prepaid to our office. The manufacturer is indemnified against the damage to other's goods or consequential damages as the result of the failure of one of it's products. The replacement or repair of goods detached during the period of guarantee does not prolong the guarantee period. The manufacturer reserves the right to modify the specifications of its products without notice.

COLORS

A list of standard color White (RAL 9016) radiators are stocked at the Springfield, MA warehouse. (For our current inventory of radiators, please contact our office). "Other colors" as indicated in the color chart, are available by special order only at the prices listed herein. Any stock radiator or towel warmer can be painted and orderd with an RAL color # shown on our color wheels. Painted stock radiators have a lead time of 2-3 weeks. Special orders and non-stock items will take approximately 10-12 weeks for delivery from the factory in Europe to our warehouse in Springfield, MA. Please contact your local representative or our office for pricing.

Note: Stock radiators in color with 2-3 week lead time, please add \$ 425.00 to list price. Quantities more than 12 pieces please call for special pricing

DISCLAIMER

The Price List contains a large number of Products and it is always possible that some of the Products listed may be incorrectly priced. We will verify prices as part of our sale procedures so that a Product's correct price will be stated. If an error is made, we reserve the right to make obvious corrections and are not bound by the pricing or to the information printed here within.



TABLE OF CONTENTS


Terms and Conditions of Sale	2
HEATING SYSTEMS	4
Tubing	4
Staple Up - Radiant Side Track	4
Thermal Board Above Subfloor - Radiant	5
Concrete Slab	5
Manifolds	6
Heating Systems - Accessories - Fittings	7
Manifold Fittings	7
Manifold Accessories	7
Metric Tubing and Fittings	8
Pex Compression Fittings Brass	8
Barb Fittings Brass	8
Clamps	10
Hangers and Accessories	10
Controls	11
Snowmelt	11
3-Way Diverter Valves	12
Brazed Plate Heat Exchangers	12
Automag	13





PE-RT 5-layer PIPE with oxygen barrier

	Part # Description Ø pipe length co		length coil	List price		
	Part #	Description	Ø pipe	length con	/ coil	/ foot
# 19 E	13 0300	PE-RT 5-layer pipe	3/8′′	300 '	246.00	0.82
2 3 草	13 0600	PE-RT 5-layer pipe	3/8′′	600 '	492.00	0.82
TOO T	_① 13 3000	PE-RT 5-layer pipe	3/8′′	3000 '	2,460.00	0.82
1 1 P	16 0300	PE-RT 5-layer pipe	1/2′′	300 '	276.00	0.92
1 1 5	16 0400	PE-RT 5-layer pipe	1/2"	400 '	368.00	0.92
2 1 3	16 1200	PE-RT 5-layer pipe	1/2"	1200'	1,104.00	0.92
nat	<u>1</u> 16 1800	PE-RT 5-layer pipe	½"	1800'	1,656.00	0.92
108	20 0500	PE-RT 5-layer pipe	5/8′′	500'	540.00	1.08
W W	₁ 20 1200	PE-RT 5-layer pipe	5/8"	1200 '	1,296.00	1.08
3 4	22 0150	PE-RT 5-layer pipe	3/4′′	150'	186.00	1.24
	_① 22 0800	PE-RT 5-layer pipe	3/4′′	800 '	992.00	1.24
1	29 0150	PE-RT 5-layer pipe	1''	150 '	372.00	2.48





3050	Plastic tubing cutter	20.45
3050A	Tubing cutter replacement blade	9.15



3099 Pex uncoiler 619.50

Floor Heating System Part



Part #	Description	List Price Each
Staple Up - Radian	t Side Track	
3001 ¾" Radiant Side	Track- 4 feet (each)	10.95
3002 ½" Radiant Side	Track 4 feet (Each)	11.95



5385	Crown stapler ½" - (16GA)	481.00
1654 1654A	Staples ¾" × ½" Crown 25,650 staples per box Staples ¾" × ½" Crown {75 staples per leg}	305.25 0.89



Floor Hosting System

	Floor H	leating System	
	Part #	Description	List Price Each
	Above	Subfloor Radiant	
	3022	Straight thermal board 16" \times 48"	52.50
	3023	Combo end piece thermal board 16" × 48"	52.50
	3025	Utility end piece thermal board 16" × 48"	52.50
	Concre	te Slab	
Contract Contract	CH1	Crete Heat 1" insulating panel	Call for P & A
Contract of the Contract of th	CH2	Crete Heat 2" insulating panel	25.50
20200000	CH3	Crete Heat 3" insulating panel	Call for P & A
	3092	Octa rail for %" - ¾" PE-RT pipe (3 ft.)	8.15
6	3065 3066	Plastic elbow for ½" pipe Plastic elbow for ¾" & ¾" pipe	1.50 2.15
	3093	Wire mesh clip	0.48
	3094	Screw clip	0.52
***	3095	Plastic ties	0.08
	3194	Screw clip installation tool	74.15
1	7060	Manual Stapler (Foam)	675.00
	7067	2 ½" Foam staples	0.30



Manifolds

Part #	Description	List Price Each
		,
Stainless Steel Ma	anifolds "Without" Flowmeters 1"	



Stanness Steel	Wallious	without	1 10 Willetel 3 1	
6002SS NF	1" Stainless	Steel Manife	old 2 Branch	245.35
6003SS NF	1" Stainless	Steel Manifo	old 3 Branch	303.15
6004SS NF	1" Stainless	Steel Manife	old 4 Branch	360.94
6005SS NF	1" Stainless	Steel Manifo	old 5 Branch	418.80
6006SS NF	1" Stainless	Steel Manife	old 6 Branch	476.60
6007SS NF	1" Stainless	Steel Manifo	old 7 Branch	534.40
6008SS NF	1" Stainless	Steel Manifo	old 8 Branch	592.25
6009SS NF	1" Stainless	Steel Manife	old 9 Branch	650.05
6010SS NF	1" Stainless	Steel Manife	old 10 Branch	708.75
6011SS NF	1" Stainless	Steel Manifo	old 11 Branch	765.70
6012SS NF	1" Stainless	Steel Manifo	old 12 Branch	823.45
Stainless Steel	Manifolds	"With" Flo	wmeters 1"	



	Stailliess .	Steer Manifolds With Flowingters 1	
	6002SS	1" NPT Stainless Steel Manifold 2 Branch	295.50
	6003SS	1" NPT Stainless Steel Manifold 3 Branch	320.75
	6004SS	1" NPT Stainless Steel Manifold 4 Branch	381.95
	6005SS	1" NPT Stainless Steel Manifold 5 Branch	443.15
	6006SS	1" NPT Stainless Steel Manifold 6 Branch	504.30
	6007SS	1" NPT Stainless Steel Manifold 7 Branch	565.50
	6008SS	1" NPT Stainless Steel Manifold 8 Branch	626.70
	6009SS	1" NPT Stainless Steel Manifold 9 Branch	687.85
	6010SS	1" NPT Stainless Steel Manifold 10 Branch	749.05
1	6011SS	1" NPT Stainless Steel Manifold 11 Branch	810.20
	6012SS	1" NPT Stainless Steel Manifold 12 Branch	871.40



Brass Manifolds 1 1/4" (OV)

486.35	2 Branch Manifold 1 ¼" (OV-2)	6082
611.65	3 Branch Manifold 1 ¼" (OV-3)	6083
739.50	4 Branch Manifold 1 ¼" (OV-4)	6084
959.35	5 Branch Manifold 1 ¼" (OV-5)	6085
1081.95	6 Branch Manifold 1 ¼" (OV-6)	6086
1,325.75	7 Branch Manifold 1 ¼" (OV-7)	6087
1,454.95	8 Branch Manifold 1 ¼" (OV-8)	6088
1,649.55	9 Branch Manifold 1 ¼" (OV-9)	6089
1,785.45	10 Branch Manifold 1 ¼" (OV-10)	6090
2,020.35	11 Branch Manifold 1 ¼" (OV-11)	6091
2,145.85	12 Branch Manifold 1 ¼" (OV-12)	6092



Plastic Manifolds

	10100	
6040	Starter kit	160.45
6042	Supply module	30.85
6045	Return module w/ flow indicator	30.85
6054	Supply manifold key red	0.25
6056	Supply manifold key blue	0.25

Accessories - Fittings



Part # Description List Price Each Brass Fittings: "NOT TO BE USED FOR POTABLE DOMESTIC WATER APPLICATIONS" **Manifold Fittings** for above 2-required per each branch 6017 7.75 G¾ Manifold valve seat cap 6018 12mm Manifold insert fitting - brass 23.50 6020 %" Manifold insert fitting - brass 8.60 6021 1/2" Manifold insert fitting - brass 8.60 6022 %" Manifold insert fitting - brass 8.60 6023 34" Manifold insert fitting - brass 18.35 6020C %" Chrome insert fitting for Radiator Valves and Manifolds 11.00 6021C 11.00 1/2" Chrome insert fitting for Radiator Valves and Manifolds 6022C 11.00 %" Chrome insert fitting for Radiator Valves and Manifolds **Manifold Accessories** 6025 Flowmeter for return connection (OV) - specify range 78.25 6025A Flowmeter for return (inline) connection (OV)-specify range 82.45 6030 Single zone expansion module for OV Header 252.75 6031 1" Expansion nipple 26.10 6032 1 1/4" Expansion nipple 35.75 6033 HFA32 1 ¼" male adapter for OV manifold (each) 25.75 6034 HSA32 1 ¼" copper adapter for OV manifold (each) 25.75 6035 HFA25 1" male adapter for manifold (each) 25.75 6036 HSA25 1" copper adapter for manifold (each) 25.75 6070 Supply valve cartridge OV manifold 36.00 6071 Return valve cartridge OV manifold 41.25 Drain assembly for OV manifold 1936 10.50 1791 Lower valve seat for OV header - old style 8.25 1913 ½" BSP plug 5.95 1921 %" BSP plug 5.75 1442 %" BSP valve seat for HA adapter 9.30 1088 ¾" BSP automatic air vent 30.75 1" End plug for Beulco manifold 1449 17.35 1450 1 1/4" End plug for Beulco OV manifold 26.10 3091 Strap On temperature gauge 32.75

"We carry all repair parts for the old style Stadler OV Manifolds"



Part # Description List Price Each **Brass Fittings: "NOT TO BE USED FOR POTABLE DOMESTIC WATER APPLICATIONS" Metric Tubing and Fittings** 6024 14 mm Manifold fitting compression (for above 2-required per each branch) 19.05 6026 HA-14 14 mm header adapter (old style manifolds) 18.50 6027 HA-16 16 mm header adapter (old style manifolds) 18.50 6028 HA-19 19 mm header adapter (old style manifolds) 18.50 3030 12mm × ¾" Cop female sweat adapters 11.95 14 mm Coupling 3037 22.65 3044 14 mm × ½" MPT 11.00 **12MM** 12 MM PE-RT tubing per foot price 0.90 **14MM** 14 MM PE-RT tubing per foot price 1.05 12mm x 3/4" Cop female sweat **SA-12** 14.25 **PEX Compression fittings Brass** 3036 ⁵/₁₆" Coupling 11.95 %" Coupling 3029 16.75 3055 34" Coupling 18.95 3060 1" Coupling 24.95 3033A ¾" × ½" Cop female sweat 8.35 $\frac{3}{8}$ " × $\frac{3}{4}$ " Cop female sweat $\frac{1}{2}$ " × $\frac{1}{2}$ " Cop female sweat 3041 9.85 3033B 8.35 ½" × ¾" Cop female sweat 3033 9.55 %" × ¾" Cop female sweat 11.95 3028 3053 ¾" × ¾" Cop female sweat 13.95 3040 %" × ½" MPT 8.90 3065A 1" × 1" MPT 18.55 **Barb Fittings Brass** Couplings T5010 3/8" Barb Coupling 1.80 T5025 5/8" Barb Coupling 2.40 T5030 3/4" Barb Coupling 2.45 T5040 1" Barb Coupling 3.70 **Reducing Couplings** T5050 1/2" x 3/8" Barb Reducing Coupling 1.75 T5060 3/4" x 1/2" Bard Reducing Coupling 2.50 T5070 1" x 3/4" Barb Reducing Coupling 3.75 **Barb Elbows** 3/8" Barb Elbow T5200 3.20 1/2" Barb Elbow T5220 2.65 T5225 5/8" Barb Elbow 3.85 T5230 3/4" Barb Elbow 6.35 1" Barb Elbow T5240 8.10 Test Plug T6200 3/8" Test Plug 1.35 T6210 1/2" Test Plug 1.40 T6215 5/8" Test Plug 1.80 3/4" Test Plug T6220 1.95 T6230 1" Test Plug 3.85

phone 413.543.8733



	Part #	Description	List Price Each
Clamps (for barbed	fittings)		
	T7010	¾" clamp	0.50
AND IN	T7030	½" clamp	0.50
W 200	T7040 T7050	%" clamp	0.80 0.80
N. Contraction	T7050	¾" clamp 1" clamp	1.15
-	17070	1 clamp	1.13
1	W7770	Ratchet tool	213.90
1	W7771	Clamp removal pincer	21.60
Metal Bend Support	ts		
in si	3034	Metal bend support for ¾" pipe	1.95
	3049	Metal bend support for 5⁄8" pipe	4.50
	3051	Metal bend support for ¾" pipe	4.75
Hangers and Access	ories		
9	3083	Plastic U-nail for %" pipe	0.18
	3085	Plastic U-nail for ½" pipe	0.14
100	3086	Plastic U-nail for %" & ¾" pipe	0.15
OK .	3087	Plastic U-nail for 1" pipe	0.35
CINADO	3130	Suspension clamp for ½" Pex	0.26
	3140	Suspension clamp for ¾" Pex	0.29
	3150	Suspension clamp for 1" pipe	0.85
	3110	Plastic clamp (PC) for ½" pipe	0.26
	3120	Plastic clamp (PC) for ¾" pipe	0.29
	3160	Plastic clamp (PC) for 1" pipe	0.38
0.0	SNC 10	⁵/₁6" single nylon clip	0.56
	SNC 12	%" single nylon clip	0.58
	SNC 1416 SNC 19	½" single nylon clip	0.60 0.64
	SNC 19 SNC 21	%" single nylon clip ¾" single nylon clip	0.64
	SNC 25	1" single hylon clip	0.87
	DNC 10	5/16" double nylon clip	0.91
000	DNC 12	%" double nylon clip	1.03
MILMA	DNC 1416	½" double nylon clip	1.10
	DNC 19	%" double nylon clip	1.42
	DNC 21	3/" double nylon clip	2.48
	DNC 25	1" double nylon clip	2.54

phone 413.543.8733

E-mail: info@hydronicalternatives.com

fax 413.543.8737



	Part #	Description	List Price Each
Controls			
	3080	Non-electric temperature controller 86F to 140 F	265.50
	3081	Non-electric temperature controller 104F to 158 F	265.50
	3072	EM-32 Electronic room responsive control	205.75
	HA-30D	2 stage set point control List	275.50
	5009	0-10 volt proportional actuator	225.50
1	5010	3 Point actuator (24V)	350.75



*** Powerheads less adapter ***

6029	24 volt Powerhead w/pop up button M30 × 1.5	85.75
6029B	24 volt Powerhead w/ 4 wire actuator and end switch	89.75

*** Make sure to order adapters***

6029C	Adapter for Viega Manifold M30 × 1.5	6.75
6029D	Adapter for Beulco Manifold M30 × 1.0 (old Stadler OV Manifold)	6.75
6029E	Adapter for Beulco Manifold M30 × 1.5	6.75
6029F	Adapter for Wirsbo Manifold M28 × 1.5	6.75
6029G	Adapter for Herz or other manifold M30 × 1.5	6.75
6029H	Adapter for ITAP Manifold	6.75

Snowmelt

	4019	DS-224 Rain/Snow melt controller 24VAC/VDC w/ manual wall timer	579.25
	4550	Commercial Snow melt controller 24v (Includes enclosure and sensors)	2,693.45
ir-	4551	Supply and return pipe sensor for #4550	103.95




2,475.00

3,835.00

	Part #	Description	List Price Each
	5021	¾" 3-Way diverting valve brass	265.65
	5022	1" 3-Way diverting valve brass	325.00
	5023	1 ¼" 3-Way diverting valve brass	399.95
	5024	1 ½" 3-Way diverting valve brass	426.25
Brazed Plate Heat	Exchangers		
	5171 5174 5124 5144	6 Plate heat exchanger 5" x 12" 10 Plate heat exchanger 5" x 12" 24 Plate heat exchanger 5" x 12" 44 Plate heat exchanger 5" x 12"	375.65 525.10 999.95 1456.95

Cupro-Nickel Shell & Tube Heat Exchangers for Salt-Water poo







RI ¾-14 UR RI ¾-25 UR RI 1-16 UR	Universal replacement zone valve ¾" 14 (ft hd) 4.5 GPM Universal replacement zone valve ¾" 25 (ft hd) 6 GPM Universal replacement zone valve 1" 16 (ft hd) 8 GPM	205.95 216.25 236.85
AA %-14 AA %-25 AA 1-16 AB %-8	Automag AA valve ¾" 14 (ft hd) 4.5 GPM Automag AA valve ¾" 25 (ft hd) 6 GPM Automag AA valve 1" 16 (ft hd) 8 GPM Automag AB valve ¾" 8 (ft hd) 8 GPM	166.45 180.25 202.50 163.05
RI-14 HD RI-16/25 HD AC Option AZC 40P AZC 60P TS 1025 50VA MB	Replacement Cover Assembly for 14' RI Valves Replacement Cover Assembly for 16' and 25' RI Valves Automag AC option / fuse rectifier set AZC controls 4 zone AZC controls 6 zone Thermostat w/ LCD Display Power supply	140.75 154.50 14.05 513.50 607.90 115.00 113.25

Parts & Accessories

7.20 CONT. 013 4 2011C	313.30
AZC controls 6 zone	607.90
Thermostat w/ LCD Display	115.00
Power supply	113.25
50VA Transformer (for MB Power supply)	72.05
CNV-84 Relay (Lised to adapt 2-wire T/stat to MB)	42.95
# 29 Coil assy (25' or 16' AA Valve)	61.75
# 31 Coil assy (14' AA Valve)	56.65
# 32 Coil assy (AB Valve)	44.65
# 604 Rectifier (converts 24VAC to 24VDC)	12.05
ILF Fuseholder	5.50
AGC 1, AGC 2, AGC 2 ½ Fuses	2.25
"C"Gasket (For ¾" valves)	2.60
"D"Gasket (For 1" valves)	4.30
Body Bolts	0.90
Repair Kit ¾" (Plunger assy, Gasket & Bolts)	77.25
Repair Kit 1" (Plunger assy, Gasket & Bolts)	77.25